


# CT 觸媒安全性

CTFIRAC

## 皮膚一次刺激性反應試驗



測試動物: 新西蘭白兔

測試組別: 3 皮膚磨損+  
3 沒有皮膚磨損

CT觸媒份量: 0.5 ml

測試時間: 72小時

香港標準及檢定中心  
The Hong Kong Standards and Testing Centre Ltd.

Date : 2004-10-15  
No. : HC156858

TEST REPORT Page 1 of 3

Applicant (Code:BOT003) : BOIS Technology Ltd  
5/F, Podium Plaza  
5 Hanoi Rd  
TST, Kowloon

Supplier / Manufacturer : Vision Development Co Ltd

Description of Samples : One submitted sample said to be CT - Catalyst Spray Bomb.

Date Samples Received : 2004-07-31

Date Tested : 2004-09-03 to 2004-10-04

Investigation Requested : 1. Acute Oral Toxicity  
2. Skin Irritation test

Conclusion : 1. According to Federal Hazardous Substances Act Regulations, (16 CFR 1500.3), and under the conditions of this test, this test article is not orally toxic to investigation animals.  
2. According to Federal Hazardous Substances Act Regulations, (16 CFR 1500.41), and under the conditions of this test, this test article is not a primary dermal irritant.

Anna Chuiff, CPE  
For Chief Executive

This report shall not be reproduced unless with prior written approval from the Hong Kong Standards and Testing Centre.

香港標準及檢定中心有限公司  
10 Dal Wang Street, Tai Po Industrial Estate, N. T., Hong Kong  
Tel: (852) 2666 1888 Fax: (852) 2664 4293 Homepage: www.hkstdc.org E-mail: hkstdc@hkstdc.org  
For full text of "Conditions of Issuance of Test Reports", please refer to website or refer to the website of  
STC: www.hkstdc.org (the section "Application and Quotation").

結果:  
非刺激性

測試報告: HC156858 (香港標準及檢定中心)

Display IT & Green IT **BOIS**